

A black and white photograph of five men standing in a factory. They are all wearing dark-colored work shirts with "McINNES ROLLED RINGS" name tags. The man on the far left has his arms crossed and is wearing safety glasses. The man next to him is also wearing safety glasses and a baseball cap. The man in the center is wearing a baseball cap. The man to his right is wearing safety glasses. The man on the far right is wearing safety glasses and has his arms crossed. The background shows industrial equipment and a large, curved structure, possibly a part of a machine.

WE SWEAT THE SMALL STUFF.

Rolled rings 13.500" OD and under

McINNES
ROLLED RINGS

A thick, curved orange line that starts under the word "McINNES" and extends to the right, ending under the word "ROLLED RINGS".

PAINSTAKING DETAIL. UNMATCHED RESULTS.

Precision steel rolled rings from 3.750" to 13.500" OD.

McINNES
ROLLED RINGS



Size Range

OD: 3.750" – 13.500" (95 – 345 mm)

ID: 2.750" – 12.500" (70 – 320 mm)

THK: 0.750" – 3.000" (19 – 77 mm)

Materials

Aircraft quality steels

VAR — VIM

VAR —NIL

Precipitation hardening

Carbon

Alloy

Stainless

300 & 400 Series

Certifications

Rolls Royce

ISO 9001

Pratt & Whitney

AS9100



For a timely quote, simply contact us at sales@mcrings.com or call 800-569-1420 today.

mcinnesrolledrings.com



McINNES ROLLED RINGS

1533 E 12th Street Erie, PA 16511 | P: (800) 569-1420 | F: (814) 459-8443 | mcinnesrolledrings.com